Godman and Salvin are synonyms, may be differentiated as follows:

1.	With no black markings at base of secondaries below	2
	With these markings	3
2.	Antennæ wholly ferruginousleanira	leanira
	Antennæ black, the tip only partially ferruginousleanira	wrighti
4.	Antennæ distinctly annulated black and white	alma

In wrighti I think I can see a faint whitish annulation, and this may vary. In both alma and wrighti the white is sometimes continued along the sides of the club. While I have not examined extensive series in this respect, the above characters hold in the specimens at hand.

ADDITIONS TO LIST OF SPHINGIDÆ OF AMERICA NORTH OF MEXICO.

Since the publication of our list of Sphingidae¹, we have become aware of two species which should have been included therein. We therefore add:

(2 1-2) Cocytius cluentius Cram.

Dr. W. W. Newcomb of Detroit has kindly called our attention to the fact that he took a specimen of this species near Detroit and that a further specimen is recorded from Chicago. (vide Ent. News, vol. 15, p. 345.)

(86 1-2) Proserpinus vega Dyar. N. M.

We must apologize to Dr. Dyar for having overlooked this species; the omission of *P. terlooii* (Dyar, No. 662) is intentional as we know of no authentic record of this Mexican species from Georgia.

WM. BARNES AND J. J. McDunnough.

¹PSYCHE, Vol. 17, pp. 190-206. (October 1910.)